

VIK-HR d.o.o

Božidarevićeva 9; HR-10000 Zagreb
MB: 0171905

tel:+385 (0)1 23 13 060
fax:+385 (0)1 23 32 036
www.vik.hr
vik@zg.t-com.hr



Podnositelj zahtjeva: **ASTRON BUILDINGS S.A.**
Applicant: **LUXEMBOURG, L-9202 Diekirch,**
Route d'Ettelbruck, P.O Box 152

SVJEDODŽBA O SUKLADNOSTI

CERTIFICATE OF CONFORMITY S-L1-703028/17

Proizvod: **LPV1000 - ZIDNA PLOČA**

Product: **LPV1000 - WALL PANEL**

Proizvođač: **ASTRON BUILDINGS S.A.**

Manufacturer: **- LUXEMBOURG, L-9202 Diekirch, Route d'Ettelbruck, P.O Box 152**
- PŘEROV, CZECH REPUBLIC

Izvešće o ispitivanju: **I-L1-703028/17**
Test report

Kvaliteta čelika (EN 10326)

Steel quality (EN 10326)

Ploča širine (mm)

Steel sheet width (mm)

Antikorozivna zaštita, obostrano g/m²

Corrosion protection, double-sided (g/m²)

Sloj boje: vanjska strana μm

Paint layer on external face μm

S 350 GD, nazivne debljine 0,49/050; 0,62/0,63 mm

S 350 GD, nominal thicknes 0,49/050; 0,62/0,63 mm

1000

1000

275 cink ili 150 alucink ili 255 galfan, donji sloj 8 epoksi

275 zinc or 150 aluzinc or 255 galfan, backcoating 8 epoxy

25 poliester, 35 poliester ili 25 PVDF/ 185 alucink obostrano

25 polyester, 35 polyester or 25 PVDF/ 185 aluzinc doublesided

Valjanost: **Pet godina, do 2012.03.28. uz kontrolu sukladnosti po isteku dvije god.**

Certificate validity **Five years, until 2012.03.28. with a control testing after two years.**

ZAKLJUČAK

CONCLUSION

Ovim se potvrđuje da značajke ispitivanog proizvoda odgovaraju zahtjevima slijedećih propisa:

It is certified hereby that the products characteristics are in conformity to the requirements of the following regulations:

- **Zakon o gradnji (NN RH br. 175/03)/Construction Law (NN RH br. 175/03)**
- **Tehnička dokumentacija proizvođača/Technical documentation supplied by the manufacturer**

Zagreb, dana: 2007.03.28.

Date



Odobrio:

Authorized Person

mr. Vladislav Špacir, dipl.ing.

Ova Svjedodžba je pravovaljana samo za ispitane uzorke kao i proizvode koji su izrađeni prema tehničkoj dokumentaciji kao i ispitni uzorci. Valjanost prestaje kada se izvrše promjene konstrukcije ili materijala, koje mogu utjecati na kakvoću i sigurnost proizvoda. *This certificate of conformity is valid only for products made according to the technical documentation same as for tested samples. Certificate becomes invalid when changes that can influence quality and safety of product are made on material and/or construction.*