

Podnositelj zahtjeva: **ASTRON BUILDINGS S.A.**
 Applicant: **LUXEMBOURG, L-9202 Diekirch,**
Route d'Ettelbruck, P.O Box 152

SVJEDODŽBA O SUKLADNOSTI

CERTIFICATE OF CONFORMITY S-L1-703028/22

Proizvod: **KAZETNI ZIDNI SUSTAV IZ REBRASTIH ČELIČNIH HLADNO
 PROFILIRANIH LIMOVA**

Product: **CASSETTE WALL SYSTEM, MADE OF COLD ROLLED SECTION
 RIBBED STEEL**

Proizvođač: **ASTRON BUILDINGS S.A.**

Manufacturer: **- LUXEMBOURG, L-9202 Diekirch, Route d'Ettelbruck, P.O Box 152**
- PRĚROV, CZECH REPUBLIC

Izvešće o ispitivanju: **I-L1-703028/22**
 Test report

Kvaliteta čelika (EN 10326)	S320	Sloj boje: vanjski μm	25 PVDF ili superpoliester
Steel quality (EN 10326)	GD	Paint layer on external surface μm	25 PVDF or superpolyester
Nazivna debljina čeličnog lima (mm)	0,75	Sloj boje: unutarnji μm	15 epoksi
Nominal steel sheet thickness (mm)		Paint layer on internal surface μm	15 epoxy
Visina rebara (mm)	120		
Depth of ribs (mm)			
Širina prekrivanja (mm)	600		
Overlay width (mm)			
Antikorozivna zaštita čelične ploče, obostrano g/m ²	275 cink ili 150 alucink ili 255 galfan		
Steel plate corrosion protection, double-sided g/m ²	275 zinc or 150 aluzinc or 255 galfan		

Valjanost: **Pet godina, do 2012.03.28. uz kontrolu sukladnosti po isteku dvije god.**
 Certificate validity **Five years, until 2012.03.28. with a control testing after two years.**

ZAKLJUČAK

CONCLUSION

Ovim se potvrđuje da značajke ispitnog proizvoda odgovaraju zahtjevima slijedećih propisa:

It is certified hereby that the products characteristics are in conformity to the requirements of the following regulations:

- Zakon o gradnji (NN RH br. 175/03)/Construction Law (NN RH br. 175/03)
- Tehnička dokumentacija proizvođača/Technical documentation supplied by the manufacturer

Zagreb, dana: 2007.03.28.
 Date



Odobrio:
 Authorized Person
 mr. Vladislav Špacir, dipl.ing.

Ova Svjedodžba je pravovaljana samo za ispitane uzorke kao i proizvode koji su izrađeni prema tehničkoj dokumentaciji kao i ispitni uzorci. Valjanost prestaje kada se izvrše promjene konstrukcije ili materijala, koje mogu utjecati na kakvoću i sigurnost proizvoda.

This certificate of conformity is valid only for products made according to the technical documentation same as for tested samples. Certificate becomes invalid when changes that can influence quality and safety of product are made on material and/or construction.